

# WAX RECOMMENDATION

# TOKO<sup>®</sup>

## North End Classic

North End Trail Head, Cable, WI

Sunday, February 12

10 A.M.

25K/12.5K, Classic

[www.norwiski.com/northend/north-end-classic-ski-race/](http://www.norwiski.com/northend/north-end-classic-ski-race/)

**Forecast/Conditions:** Saturday night's low around 23, with a chance of snow. Race time temperature in the upper 20s with mostly cloudy skies and a chance of snow in the morning leading up to the event.

**Glidewax:** Apply LF Black, scrape and brush, then apply HF Red, scrape and brush. Finish by crayoning JetStream Red, iron hot (320F) with a layer of fiberlene under the iron, traveling slowly (60 seconds) tip to tail. Brush with a dedicated nylon polishing brush and polish with a thermopad.

**Gripwax:** Roughen base with 150 grit sandpaper, iron in Nordic Base Wax Green, cork smooth, let cool. Then apply several layers of Nordic GripWax Red, corking between layers.

**Structure:** A universal grind covered by one pass with the Red Structurite tool (before JetStream application) will best suit these conditions.

Created by Mike Lundeen, Toko Tech Team member since 2004.

Check the [Wax Tips](#) page at [TokoUS.com](http://TokoUS.com) before all of your races for the latest waxing information. The Toko Race Wax Tips offer racers precise waxing advice on how to make your skis perform optimally for a given event. For racers who don't have top end waxes, skip the Fluorocarbon (JetStream) and substitute the LF or NF wax of the same color (Yellow, Red or Blue). To see optimal application procedures for both Glidewax and Gripwax, go to the How To link at [TokoUS.com](http://TokoUS.com).

# Racing - Service