

WAX RECOMMENDATION



Harry Eldridge NYSEF JNQ

Mt. Van Hoevenberg, Lake Placid, NY

Sunday, January 21

9 A.M.

5K all U16 men and women; 10K all U18 and older men and women, Skate

Mass start, multiple lap course

<https://www.skireg.com/harry-eldridge-nysef-jnq>

Forecast/Conditions: Overnight low 26, temperature at start 29, transformed snow with fresh snow, machine groomed. Partly cloudy, light wind, zero percent chance of precipitation.

Glidewax: Apply LF Black, scrape and brush, then apply HF Yellow, scrape and brush. Finish by crayoning JetStream Yellow, iron hot (320F) with a layer of fiberlene under the iron, traveling slowly (60 seconds) tip to tail. Brush with a dedicated nylon polishing brush and polish with a thermopad.

Structure: A wet grind followed by 2 passes of the Yellow Structurite tool (before Yellow JetStream application) will best suit these conditions.

Racing - Service

Created by Duncan Douglas, Toko Tech Team member. douglas6xc@gmail.com

Check the [Wax Tips](#) page at TokoUS.com before all of your races for the latest waxing information. The Toko Race Wax Tips offer racers precise waxing advice on how to make your skis perform optimally for a given event. For racers who don't have top end waxes, skip the Fluorocarbon (JetStream or HelX) and substitute the LF or NF wax of the same color (Yellow, Red or Blue). To see optimal application procedures for both Glidewax and Gripwax, go to the How To link at TokoUS.com.