

WAX RECOMMENDATION

TOKO[®]

Cote Dame Marie Ski Loppet

Hanson Hills, Grayling, MI

Saturday, January 19

10 A.M.

26K Men, 13K Women, 8K Juniors, Freestyle

Mass start by distance

<http://www.graylingnordic.com>

Forecast/Conditions: Overnight low of 2F, temperature at start of 5F. Packed powder, mostly cloudy skies with a 30 percent chance of light snow.

Glidewax: Apply LF Blue, scrape and brush, then apply HF Blue, sprinkle on X-cold Powder, iron in together, scrape and brush. Finish by crayoning JetStream Blue, iron hot (320F) with a layer of fiberlene under the iron, traveling slowly (60 seconds) tip to tail. Brush with a dedicated nylon polishing brush and polish with a thermopad.

Gripwax: Roughen base with 150 grit sandpaper, iron in Nordic Base Wax Green, cork smooth, let cool. Then apply 4 thin layers of Nordic GripWax X-Cold, corking between layers.

Structure: A fine linear structure covered by one pass with the Blue Structurite tool after brushing out the glide wax will best suit these conditions.

Created by Nickola Baic, Toko Tech Team member since 2007. Nick@TokoUS.com

Check the [Wax Tips](#) page at TokoUS.com before all of your races for the latest waxing information. The Toko Race Wax Tips offer racers precise waxing advice on how to make your skis perform optimally for a given event. For racers who don't have top end waxes, skip the Fluorocarbon (JetStream or HelX) and substitute the LF or NF wax of the same color (Yellow, Red or Blue). To see optimal application procedures for both Glidewax and Gripwax, go to the How To link at TokoUS.com.

Racing - Service