

# WAX RECOMMENDATION



## Ski Haus Classic

Catamount Touring Center, Steamboat Springs, CO

Sunday, January 27

10 A.M.

14K/7K/5K/2K, Classic

Mass start by distance

1 Loop

Race link [here](#)

Forecast/Conditions: Saturday night low of 9F. Air temperature warming to low 20s by race start under mostly sunny skies with a slight breeze.

Glidewax: Apply LF Blue, scrape and brush, then apply HF Blue, scrape and brush. Finish by crayoning JetStream Blue, iron hot (320F) with a layer of fiberlene under the iron, traveling slowly (60 seconds) tip to tail. Brush with a dedicated nylon polishing brush and polish with a thermopad.

Gripwax: Roughen base with 150 grit sandpaper, iron in Nordic Base Wax Green, cork smooth, let cool. Then apply 2-3 thin layers of Nordic GripWax Blue, corking between layers.

Structure: Fine linear structure will best suite these conditions.

**Racing - Service**

Created by Stephen White, Toko Tech Team member since 2005. [xcwhite@TokoUS.com](mailto:xcwhite@TokoUS.com)

Check the [Wax Tips](#) page at [TokoUS.com](http://TokoUS.com) before all of your races for the latest waxing information. The Toko Race Wax Tips offer racers precise waxing advice on how to make your skis perform optimally for a given event. For racers who don't have top end waxes, skip the Fluorocarbon (JetStream or HelX) and substitute the LF or NF wax of the same color (Yellow, Red or Blue). To see optimal application procedures for both Glidewax and Gripwax, go to the How To link at [TokoUS.com](http://TokoUS.com).