

WAX RECOMMENDATION



Mayor's XC Challenge Supertour/JNQ

Theo Wirth Park, Minneapolis, MN

Sunday, February 17

Start times from 8:30 A.M. to 12:30 P.M.

10K/5K, Freestyle

Interval start, each age group skis multiple loops

<https://www.loppet.org/events/mayorschallenge/>

Forecast/Conditions: Overnight low of 11 rising to 15 by 8:30 A.M. and 22 by 12:30 P.M. East wind at 3 mph, mostly cloudy and a one-in-three chance of snow before and during the races. The plentiful amounts of natural snow have been mixed with manmade, with the racing surface being predominately natural snow. The course should be in excellent condition.

Glidewax: Apply LF Black, scrape and brush, then apply HF Blue/HF Red mixed 1/1, scrape and brush. Finish by crayoning JetStream Red, iron hot (320F) with a layer of fiberlene under the iron, traveling slowly (60 seconds) tip to tail. Brush with a dedicated nylon polishing brush and polish with a thermopad. Skiers in races beginning at or after noon should use HF Red rather than the mix of HF Blue/HF Red.

Structure: A fine structure covered by one pass with the Blue Structurite tool (before JetStream application) will best suit these conditions. Later racers should substitute the Red tool for the Blue.

Created by Gerald Slater, Toko Tech Team member since 2006. jerry@TokoUS.com

Check the [Wax Tips](#) page at TokoUS.com before all of your races for the latest waxing information. The Toko Race Wax Tips offer racers precise waxing advice on how to make your skis perform optimally for a given event. For racers who don't have top end waxes, skip the Fluorocarbon (JetStream or HelX) and substitute the LF or NF wax of the same color (Yellow, Red or Blue). To see optimal application procedures for both Glidewax and Gripwax, go to the How To link at TokoUS.com.

Racing - Service